



STATE OF ALABAMA

DEPARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID

INVITATION TO BID NO: 09-R-2208349

REQ. AGENCY : 004008
WILDLIFE & FRESHWATER FISHERIES
AGENCY REQ. NO. : 930168
T-NUMBER :
DATE ISSUED : 07/13/09
VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1419811
BUYER NAME : SUSAN JANA

FOR: LOADER, COMPACT TRACK

BUYER PHONE NO. : (334) 242-7173-
PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE:
DATE: 07/24/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 07/27/09 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE
MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER
2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.
4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)
5. E-MAIL ADDRESS: _____
INTERNET WEBSITE: _____
6. GENERAL CONTRACTOR'S LICENSE NO: _____
TYPE OF G.C. LICENSE: _____
RETURN INVITATION TO BID:

US MAIL

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING
P O BOX 302620
MONTGOMERY, AL 36130-2620

COURIER

STATE OF ALABAMA
DIVISION OF PURCHASING
RSA UNION BUILDING
100 N. UNION ST., SUITE 192
MONTGOMERY, AL 36104

***** IMPORTANT NOTE: *****

BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE
ITEM 7 - COPY REQUIREMENT.

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED.
I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN
RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO
REFRAIN FROM BIDDING.

SWORN TO AND

FEIN OR SSN

AUTHORIZED SIGNATURE (INK)

SUBSCRIBED BEFORE ME THIS

COMPANY NAME

TYPE/PRINT AUTHORIZED NAME

_____ DAY OF _____

MAIL ADDRESS

TITLE

NOTARY PUBLIC

CITY, STATE, ZIP

TOLL FREE NUMBER

TERM EXP: _____

PHONE INCLUDING AREA CODE

FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 2

INVITATION TO BID

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF THIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY BUSINESSES IN THE TECHNICAL COMPLETION OF REQUIRED FORMS MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS

REV: 04/07/09

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPERATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE.
8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
BID RECEIVED LATE
BID NOT SIGNED/NOT ORIGINAL SIGNATURE
BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
NOTARIZED OWN SIGNATURE
REQUIRED INFORMATION NOT SUBMITTED WITH BID
FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY WILL RESULT IN REJECTION OF THE BID RESPONSE
FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

PAGE 3

INVITATION TO BID

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

PAGE 4

INVITATION TO BID

AWARD:

AWARD WILL BE MADE "ALL OR NONE" TO THE LOWEST RESPONSIBLE BIDDER
MEETING ALL SPECIFICATIONS.

* SPECIAL NOTE: THE SKID LOADER OPTIONS LISTED ON LINES 02 - 05 MAY
OR MAY NOT BE PURCHASED, DEPENDING UPON BID PRICING AND BUDGETS.

DELIVERY/INVOICING:

SKID LOADER AND OPTIONS, IF PURCHASED, MUST BE DELIVERED AND INVOICED
NO LATER THAN SEPTEMBER 2009.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN
THE UNIT PRICES AND NOT SHOWN SEPARATELY ON THE ITB OR INVOICE.

PRORATION:

ANY PROVISION OF A CONTRACT RESULTING FROM THIS BID TO THE CONTRARY
NOTWITHSTANDING, IN THE EVENT OF FAILURE OF THE STATE TO MAKE PAYMENT
HEREUNDER AS A RESULT OF PARTIAL UNAVAILABILITY, AT THE TIME SUCH
PAYMENT IS DUE, OF SUCH SUFFICIENT REVENUES OF THE STATE TO MAKE SUCH
PAYMENT (PRORATION OF APPROPRIATED FUNDS FOR THE STATE HAVING BEEN
DECLARED BY THE GOVERNOR PURSUANT TO SECTION 41-4-90 OF THE CODE OF
ALABAMA 1975), THE CONTRACTOR SHALL HAVE THE OPTION, IN ADDITION TO
THE OTHER REMEDIES OF THE CONTRACT, OF RENEGOTIATING THE CONTRACT
(EXTENDING OR CHANGING PAYMENT TERMS OR AMOUNTS) OR TERMINATING THE
CONTRACT.

MANUFACTURER/MODEL NUMBERS:

AT THE END OF EACH ITEM WHERE SPACES ARE MARKED "MFR" AND "MODEL",
VENDORS MUST INDICATE THE MANUFACTURER & ALL STOCK/MODEL NUMBERS
NECESSARY TO COMPLETE EACH UNIT AS SPECIFIED.

THIS INFORMATION MUST BE COMPLETED, EVEN IF BIDDING THE RECOMMENDED
MFR/MODEL, OR THE BID WILL BE REJECTED.

DESCRIPTIVE LITERATURE:

THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY,
AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING
ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE
WITH BOTH THE ORIGINAL AND REQUIRED COPY OF THE BID, AS STATED ON PAGE
2 OF THE ITB. REFERENCE TO LITERATURE WITH A PREVIOUS BID OR TO A
WEBSITE WILL NOT SATISFY THIS REQUIREMENT.

PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED
WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

FAILURE TO SUBMIT DESCRIPTIVE LITERATURE WITH THE ORIGINAL AND/OR
REQUIRED COPY OF THE BID WILL RESULT IN BID REJECTION.

NEW EQUIPMENT:

ALL EQUIPMENT MUST BE NEW AND UNUSED AND ACCEPTABLE BY THE ORIGINAL
EQUIPMENT MANUFACTURER FOR THEIR MAINTENANCE.

REQUESTED INFORMATION:

ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED
WITHIN FIVE (5) BUSINESS DAYS FROM RECEIPT OF REQUEST.

SAFETY FACTOR ON ATTACHMENTS:

FOR THE SAFETY OF THE OPERATOR, ALL MACHINE ATTACHMENTS SHOWN ON LINES
02 - 05 MUST BE OPERABLE FROM INSIDE THE ROPS/FOPS.

ATTACHMENTS

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 09-R-2208349

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

PAGE 5

INVITATION TO BID

***** IMPORTANT INFORMATION *****

IT IS THE VENDOR'S RESPONSIBILITY TO READ THIS ENTIRE DOCUMENT FROM BEGINNING TO END AND TO COMPLY WITH ALL INSTRUCTIONS AND TERMS AND CONDITIONS OF THE BID.

REMINDER: BIDDERS MUST SUBMIT AN ORIGINAL AND A MINIMUM OF ONE EXACT, COMPLETE COPY OF THE BID (INCLUDING SIGNATURE, NOTARY, AND DESCRIPTIVE LITERATURE) AS SHOWN ON PG. 2 OF THE ITB, OR THE BID WILL BE REJECTED.

FOR SPECIFICATION QUESTIONS, CONTACT THE AGENCY:
DAVID HAYDEN OR GARY MOODY @ (334) 242-3469

FOR PROCEDURAL QUESTIONS, CONTACT THE BUYER:
SUSAN JANA @ (334) 242-7173 OR SUSAN.JANA@PURCHASING.ALABAMA.GOV

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 6

INVITATION TO BID

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
UNLESS SPECIFIED OTHERWISE BELOW:					
SHIP TO: 004008 / 004M29					
WILDLIFE & FRESHWATER FISHERIES					
WILDLIFE OFFICE					
1105 BAILEY STREET					
DEMOPOLIS AL 36732					
00001	COMMODITY CODE: 560-75-054635 LOADER, SKID, TRACK TYPE - SPECIFICATION LISTED BELOW	1	EA		
GENERAL INFORMATION:					
NET POWER SHALL BE AT LEAST 90 HP; GROSS POWER SHALL BE AT LEAST 94 HP; OPERATING WEIGHT SHALL BE NO MORE THAN 10,800 LBS. WIDTH SHALL BE NO MORE THAN 78 IN.; HEIGHT SHALL BE NO MORE THAN 84 IN. AT TOP OF CAB.					
ENGINE:					
ENGINE SHALL BE TIER III COMPLIANT, DESIGNED AND BUILT BY THE MACHINE MANUFACTURER, DIRECT FUEL INJECTED, TURBOCHARGED, LIQUID COOLED, AND EQUIPPED WITH AN ALTERNATOR THAT HAS A CHARGING CAPACITY OF AT LEAST 90 AMPERES. ENGINE SHALL HAVE AT LEAST FOUR CYLINDERS AND A TOTAL DISPLACEMENT OF AT LEAST 201 CU. IN. GLOW PLUGS SHALL BE PROVIDED. COOLING FAN AND RADIATOR SHALL BE ABLE TO TILT-UP VIA A GAS STRUT. COOLING SYSTEM SHALL PULL AIR IN FROM BOTH SIDES OF THE MACHINE. COOLING FAN SHALL BE POWERED BY A HYDRAULIC MOTOR THAT IS DEMAND DRIVEN. MACHINE MUST HAVE A SPEED-SENSING VALVE. A/C COMPRESSOR SHALL BE HYDRAULICALLY DRIVEN. BATTERY SHALL BE AT LEAST 12 VOLTS AND 850 CCA. MACHINE SHALL HAVE A MAIN SYSTEM RELAY WITH 105 AMP CIRCUIT BREAKER PROTECTION.					
POWERTRAIN AND TRANSMISSION:					
TWO HYDROSTATIC AXIAL PISTON DRIVE PUMPS SHALL BE SPLINED DIRECTLY TO THE ENGINE AND SHALL POWER THE FINAL DRIVE MOTORS, DRIVING THE TRACKS. NO CHAINS SHALL BE USED. HYDROSTATIC DRIVE PUMPS SHALL BE CONTAINED IN A MONO-BLOCK HOUSING FOR MAXIMUM RELIABILITY AND DURABILITY. DRIVE SYSTEM SHALL BE OF AN EXTERNAL POSITIVE DRIVE WITH STEEL ON STEEL CONTACT OF TOOTH AND SPROCKET ENGAGEMENT. HAND AND FOOT THROTTLES SHALL BE PROVIDED. ANTI-STALL FEATURE SHALL BE PROVIDED. MAXIMUM FORWARD AND REVERSE TRAVEL SPEED SHALL BE AT LEAST 8.5 MPH. MUST HAVE PLANETARY GEAR REDUCTION FINAL DRIVE. TWO SPEED MUST BE STANDARD.					
STEERING:					
MACHINE MUST HAVE SEAT MOUNTED/ADJUSTABLE JOYSTICK CONTROLS. JOYSTICKS SHALL					

PAGE TOTAL

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 7

INVITATION TO BID

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY UNIT	UNIT PRICE	EXTENDED AMOUNT
-------------	-------------------------------	---------------	------------	--------------------

USE "S" CONTROL PATTERN. FULL TURNING
RADIUS FROM CENTER WITHOUT A BUCKET
SHALL BE LESS THAN 58 IN.

BRAKES:

MUST HAVE A SPRING APPLIED, HYDRAULICAL-
LY RELEASED PARKING BRAKE THAT WILL
AUTOMATICALLY ENGAGE WHEN ARM IS RAISED
AND IS DESIGNED TO HOLD MACHINE STATIC
ON A 2 TO 1 SLOPE.

HYDRAULIC SYSTEMS:

MACHINE MUST BE ABLE TO LIFT OPERATING
LOAD TO 4 FT. WHEN ENGINE AS AT IDLE
SPEED OR NO THROTTLE. STANDARD PUMP
FLOW SHALL BE 22 GAL/MIN AND HYDRAULIC
PRESSURE OF AT LEAST 3300 PSI. STANDARD
PUMP FLOW/HYDRAULIC HORSEPOWER SHALL BE
AT LEAST 42 HP. SHALL BE EQUIPPED WITH
AUXILIARY HYDRAULICS ACTIVATED BY A
SWITCH. HYDRAULIC OIL TANK CAPACITY
SHALL BE AT LEAST 11 GAL. HYDRAULIC
TANK MUST BE EQUIPPED WITH ANTI-CAVITA-
TION LOOP. MACHINE MUST BE EQUIPPED
WITH A HYDRAULICALLY DRIVEN FAN. HIGH
FLOW HYDRAULICS OF MACHINE MUST BE AT
LEAST 33 GAL/MIN AND HAVE A PRESSURE OF
4000 PSI. HIGH FLOW HYDRAULIC HORSE-
POWER SHALL BE AT LEAST 78 HP. MACHINE
MUST BE EQUIPPED WITH HYDRAULIC PRESSURE
HOSES THAT MUST HAVE FOUR STEEL SPIRAL
WRAPS WITH BURST PROTECTION OF AT LEAST
4000 PSI.

AXLES:

MACHINE MUST HAVE A HEAVY-DUTY TORSION
AXLE TO SUSPEND EACH SIDE OF THE UNDER-
CARRIAGE FROM THE MACHINE FRAME AND
SHALL BE SHOCK ABSORBING.

UNDERCARRIAGE:

TRACK SHALL CONSIST OF MOLDED RUBBER
WITH EMBEDDED STEEL BARS SPANNING THE
WIDTH OF THE TRACK AND SHALL CONSIST OF
CONTINUOUS WOUND STEEL CABLES. MACHINE
MUST HAVE A MINIMUM GROUND CLEARANCE OF
NO LESS THAN 8.5 IN. GROUND PRESSURE NOT
TO EXCEED 4.3 PSI. OVERALL LENGTH OF
TRACK SHALL NOT EXCEED 90 IN. LENGTH OF
TRACK ON GROUND SHALL BE AT LEAST 63 IN.
WEIGHT SHALL BE EVENLY DISTRIBUTED
ACROSS THE ENTIRE WIDTH AND LENGTH OF
THE TRACK. UNDERCARRIAGE SHALL CONTAIN
DUAL FLANGE STEEL FRONT IDLERS.

OPERATOR'S STATION:

MACHINE MUST BE EQUIPPED WITH AN AIR
RIDE SEAT, SEALED AND PRESSURIZED CAB,
BOTH FOOT AND HAND THROTTLES, RETRACT-
ABLE SEAT BELT, ARM BAR, AND ROPS/FOPS
PROTECTIVE STRUCTURES RATED TO AT LEAST
12,345 LB. CAB DOOR MUST BE EQUIPPED

PAGE TOTAL

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 8

INVITATION TO BID

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY UNIT	UNIT PRICE	EXTENDED AMOUNT
-------------	-------------------------------	---------------	------------	--------------------

WITH 2 QUICK RELEASE HANDLES TO REMOVE FRONT DOOR AS WELL AS A QUICK RELEASE GAS STRUT DOOR ASSIST. MACHINE MUST BE EQUIPPED WITH A HEATER AND AN AIR CONDITIONER. SHALL BE EQUIPPED WITH AUDIBLE WARNING ALARMS FOR ENGINE COOLANT TEMPERATURE, ENGINE OIL PRESSURE AND HYDRAULIC OIL TEMPERATURE. MUST BE EQUIPPED WITH A CONVEX, REARVIEW MIRROR. SHALL BE EQUIPPED WITH A STANDARD 12V ELECTRICAL SOCKET. RIGHT JOYSTICK SHALL CONTROL LOADER UP/DOWN AND TILT AND THE LEFT SHALL CONTROL FORWARD AND REVERSE TRAVEL SPEED AND DIRECTION.

LOADER LINKAGES/STRUCTURES:

LOADER LINKAGE SHALL BE OF A VERTICAL LIFT STYLE. PINS SHALL HAVE COUNTERSUNK GREASE FITTINGS FOR PROTECTION. MACHINE SHALL BE EQUIPPED WITH TWO TILT CYLINDERS PROTECTED BY A HEAVY-DUTY TORQUE TUBE. MACHINE SHALL HAVE TIPPING CAPACITY OF AT LEAST 8300 LB. MACHINE SHALL HAVE A DUMP ANGLE OF 51 DEGREES. TILT CYLINDER BREAKOUT FORCE SHALL BE AT LEAST 7300 LBS.

WORK TOOL OPTIONS:

MACHINE SHALL HAVE A UNIVERSAL COUPLER INTERFACE. COUPLER SHALL HAVE THE FOLLOWING FEATURES: LOW PROFILE SIDE PLATE, LARGE CONTACT AREAS TO ABSORB LOADS AND MINIMIZE STRESS, OPPOSING WEDGES, CHROME PLATED AND LUBRICATED VERTICAL PINS FOR SMOOTH ENGAGEMENT AND PREVENTION OF CORROSION. HYDRAULIC QUICK COUPLER SHALL BE AVAILABLE.

SERVICEABILITY:

ENGINE SHALL BE MOUNTED LENGTHWISE. RADIATOR, HYDRAULIC OIL COOLER AND GRILL SHALL BE PROTECTED BY A GUARD, AND SHALL TILT UP VIA A GAS-ASSISTED STRUT. MACHINE SHALL BE EQUIPPED WITH SIGHT GAUGES ON THE HYDRAULIC TANK AND RADIATOR, STANDARD SYSTEM PRESSURE AND FLUID ANALYSIS TEST PORTS, AND AN ELECTRONIC PORT ALLOWING ELECTRONIC MACHINE DIAGNOSTICS. NO REQUIRED MAINTENANCE POINTS SHALL REQUIRE LIFTING OF THE CAB STRUCTURE. ALL FILTERS SHALL BE EASILY ACCESSIBLE. CAB SHALL TILT TO REAR TO EXPOSE ALL PUMPS, MOTORS, VALVES AND LINES. CAB SHALL BE HELD IN PLACE BY A SELF LATCHING MECHANISM.

MINIMUM SERVICE FILL CAPACITIES:

MACHINE SHALL HAVE A HYDRAULIC OIL TANK CAPACITY OF AT LEAST 11 GAL. THE HYDRAULIC SYSTEM WILL HOLD AT LEAST 13 GAL., FUEL TANK SHALL HOLD AT LEAST 26 GAL., ENGINE CRANKCASE SHALL HOLD AT

PAGE TOTAL

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 9

INVITATION TO BID

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	LEAST 2.6 GAL., AND ENGINE COOLING SYS- TEM SHALL HOLD AT LEAST 3.7 GAL.				
	BUCKET: THE MACHINE WILL COME READY TO OPERATE WITH A 78" GENERAL PURPOSE BUCKET. THE BUCKET WILL HAVE DUAL TORQUE TUBES RUNNING THE ENTIRE WIDTH OF THE BUCKET, FULL LENGTH SKID BARS, AND HARDENED FRONT BASE EDGE AND SIDE CUTTING EDGES.				
	OPERATOR'S MANUAL: MACHINE WILL BE DELIVERED WITH TWO (2) COMPLETE COPIES OF THE OPERATOR'S MANUAL				
	WARRANTY: ONE (1) YEAR/1500 HOURS TOTAL MACHINE WARRANTY AND THREE (3) YEARS/3000 HOURS EXTENDED POWER TRAIN WARRANTY.				
	MFR: _____ MODEL: _____ CATERPILLAR 299C OR EQUAL				
00002	COMMODITY CODE: 560-75-054635 ATTACHMENT, LOADER, SKID	1	EA	_____	_____
	OPTION 1 PALLET FORK CARRIAGE NOTCHED RAIL-TYPE CARRIAGE WITH 37" HEAVY DUTY BACKREST FORK TINE WIDTH: 4" FORK TINE LENGTH: 48"				
	MFR: _____ MODEL: _____ CATERPILLAR 149-1411 OR EQUAL				
00003	COMMODITY CODE: 560-75-054635 ATTACHMENT, LOADER, SKID	1	EA	_____	_____
	OPTION 2 MULCHER THE MULCHER SHALL HAVE AXIAL PISTON HYDRAULIC MOTOR, ADJUSTABLE PUSH FRAME, HYDRAULICALLY OPERATED FRONT HOOD, V-BELT DRIVE, REAR CHAIN GUARD PROTEC- TION AND TEMPERED STEEL CONSTRUCTION.				
	OVERALL WIDTH: 72" WORKING WIDTH: 57" LENGTH: 58"				
	MFR: _____ MODEL: _____ CATERPILLAR HM315 (308-0250) OR EQUAL				
00004	COMMODITY CODE: 560-75-054635 ATTACHMENT, LOADER, SKID	1	EA	_____	_____
	OPTION 3 DOZER BLADE				

PAGE TOTAL

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 09-R-2208349

PAGE 10

OPEN DATE : 07/27/09 TIME: 10:00 AM

RETURN DATE: 07/24/09 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	TRACK-TYPE TRACTOR VARIABLE POWER TILT; THREE-PIECE, REPLACEABLE, BOLT-ON HARDENED CUTTING EDGE; ANGLED END BITS; CENTER SECTION OF CUTTING EDGE REVERS- IBLE; REMOVABLE SHIMS; ANTI-PITCH INTERFACE. WIDTH (FULLY ANGLED): 69" MAXIMUM BLADE ANGLE (RIGHT/LEFT OF CENTER: 30 DEGREES MFR: _____ MODEL: _____ CATERPILLAR 231-5277 OR EQUAL				
00005	COMMODITY CODE: 560-75-054635 ATTACHMENT, LOADER, SKID OPTION 4 BRUSHCUTTER MUST BE DIRECT DRIVE; 6" CUTTING CAPA- CITY; 31 TO 40 GPM; EXTRA RELIEF FOR OVER 3000 PSI; UNIVERSAL QUICK ATTACH; 70" CUT MFR: _____ MODEL: _____ DAVCO BC 705HS OR EQUAL	1	EA	_____	_____

PAGE TOTAL

BID TOTAL

